CUMULATIVE AUTHOR INDEX
Medical Entomology
Volume 45, 2008

A

Abrahan, L., 660
Achee, N. L., 251
Adamou, A., 643
Agreda, E., 52
Akweywa, P., 1050
Alekseev, A. N., 812
Alencar, J., 873
Allan, S. A., 82
Almirón, W. R., 342
Alten, B., 576
Ameri, M., 94
Amore, G., 547
Anderson, J. F., 445
Anderson, M., 276
Andreadis, T. G., 1143
Apanaskevich, D. A., 817
Apperson, C. S., 617, 891
Arez, A. P., 1057
Arias, J. R., 629
Armistead, J. S., 629
Armstrong, K. L., 9
Armstrong, P. M., 1143
Arugay, A., 509
Arunachalam, N., 927
Asgari, Q., 726
Aspen, S., 276
Atangana, J., 260
Austin, J. W., 229
Avenell, D., 314
Azad, A. F., 68
Azizi, K., 726

B

Bahia-Nascimento, A. C., 982
Bailey, C. L., 102
Bangs, M. J., 251
Baolin, L., 1007
Barbosa de Souza, M., 166
Barker, C. M., 1126
Barnard, D., 517
Barral, A., 409
Barral-Netto, M., 409
Bartholomay, L., 775
Bartlett-Healy, K., 1031
Bearden, S. W., 933
Beaty, B. J., 800
Becnel, J. J., 82, 401, 414, 1071
Bejarano, E. E., 653
Belton, P., 470
Bennett, K. E., 921
Bennett, S., 509
Bermingham, E., 841
Bertolotti, L., 547
Bezzhonova, O. V., 337
Billeter, S. A., 176
Bin, H., 939
Bisanzio, D., 547
Bæckström, P., 88
Blair, C. D., 800
Bochkov, A. V., 193
Bolio-González, M., 169
Bolling, B. G., 800
Bord, J. P., 1180
Borg-Karlson, A.-K., 88, 1039
Boucias, D. G., 42
Boumezzough, A., 370
Bourke, P., 222
Boussaa, S., 370
Bouyer, J., 1180
Brawn, J. D., 125
Breitschwerdt, E. B., 176
Brengues, C., 391
Broce, A. B., 94
Brown, D., 751
Brown, H. E., 517
Brown, K. S., 959
Brown, M. D., 1087
Brownlie, J., 129
Brunner, J. L., 139
Burkhalter, K., 276
Burkot, T. R., 758
Bustos-Saldaña, R., 476
Butt, T., 314

C

Caccone, A., 1057
Calampa, C., 720
Campbell, S. R., 563
Cano, J., 572
Cao, W.-C., 741
Carbajal, F., 1165
Carbajal de la Fuente, A. L., 14
Carpenter, S. T., 129
Carroll, S. P., 706
Casimiro, S., 885
Castrillon, M. I., 991
Catalá, S., 660
Ceraul, S. M., 68
Chareonviriyaphap, T., 251
Charnetzky, D., 276
Chen, H., 242
Cilek, J. E., 638
Civitello, D. J., 289, 867
Clark, G. G., 82, 401, 414, 1071
Clark, J. M., 75, 912, 1092
Clay, K., 289, 867
Coleman, M., 885
Colton, L., 276
Conn, J. E., 841
Cook, A., 1011
Cook, R. A., 517
Cooper, R. D., 1087
Cordón-Rosales, C., 1187
Cornel, A. J., 260
Crans, W., 1031
Cravo, P., 237
Cueto, G. M., 421, 693

D

Dai, J., 533
Dantas de Oliveira, C., 172
Dao, A., 643
Dasch, G. A., 509
Davey, R. B., 427, 905
Davies, F. G., 102
Day, J. F., 458, 483
Deane, E. M., 745
de Avelar, D. M., 1139
de Azeredo-Espin, A.M.L., 667
de Freitas Fernandes, F., 982
Delorey, M., 276
Delroux, K., 445
de Medeiros Meira, A., 166
de Sousa Leal, C., 982
De Vlas, S. J., 741
Diallo, B., 260
Dias-Lima, A., 14
Dietrich, G., 899
Diuk-Wasser, M., 1143
Doggett, S. L., 737
Dohm, D., 720
Dolan, M. C., 899
Donohue, K. V., 891
Dorn, P. L., 52
do Rosário, V. E., 237
Dorsey, K. M., 9
dos Santos, C.L.S., 970
dos Santos-Mallet, J. R., 991
dos Santos Paduan, K., 59
dos Santos Ponte, C., 166
Dowd, S. E., 686
Drolet, B. S., 921
Du, J., 533
Duarte, G. T., 667
Dubinina, H. V., 812
Ducheyne, E., 1180
Dumon, H., 466
Dzib-Florez, S., 169

E

Edman, J. D., 307
Eisen, L., 181, 800
Eisen, R. J., 181, 732, 933, 1160
Elnaiem, D. A., 160
Elnaiem, D.-E.A., 751
Emperaire, L., 14

Eremeeva, M. E., 509
Erickson, J. S., 326, 877
Eritja, R., 347
Estrada-Peña, A., 832
Evans, R. B., 452

F

Fagua, G., 522
Fang, Y., 494, 1126
Faye, I., 1039
Fernandez, R., 720, 1165
Ferreira, A., 14
Ferreira, F., 770
Fikrig, E., 445
Fingerle, V., 948
Fish, D., 517
Flory, S. L., 867
Foil, L. D., 109, 686
Foley, D. H., 852
Foley, J. E., 763
Fondjo, E., 260
Fontenille, D., 391, 576
Frances, S. P., 1087
Françoisevermeylen,, 307
Fuqua, C., 289
Futami, K., 1050

G

Gad, A. M., 203
Gage, K. L., 933, 1160
Gallagher, L. A., 1108
García, M. D., 522
Garcia, S., 494
Gaugler, R., 1031
Geden, C. J., 42
George, J. E., 427, 905
Germano, M., 421
Gerry, A. C., 115
Ghosh, S. K., 617
Gilles, J., 948
Ginsberg, H. S., 563
Githeko, A. K., 242
Githure, J. I., 242
Goddard, J., 556, 959
Goddard, J., II, 556
Godsey, M., 276
Gold, R. E., 229
Goldberg, T. L., 125
Gómez, A., 1023
Gonzalez, Y. I., 1080
González-Acuña, D., 832
Gonçalves, T.C.M., 991
Goodman, G., 751
Gordon, E., 276
Gorla, D., 660
Goryacheva, I. I., 337
Grant-Guillén, Y., 476
Grieco, J. P., 251
Grindle, N., 289
Guerrero, F. D., 427, 677, 686
Guerrini, L., 1180
Guglielmone, A. A., 832
Guimarães, A., 873
Gutierrez, A., 494

H

Habbema, J.D.F., 741
Hallahan, D. L., 1080
Halvorsen, J. G., 203
Hamer, G. L., 125
Hao, H., 533
Happ, G. M., 1108
Harder, A., 956
Harding, K., 563
Haro-Rodriguez, S., 476
Harrak, R., 370
Harrington, L. C., 1, 28, 307
Healy, J.A.E., 222
Healy, S. P., 899
Helinski, M.E.H., 698
Hemingway, J., 885
Hernández, L., 660
Hervé, J.-P., 391
Hess, B., 509
Higley, L. G., 157
Hilali, S., 370
Hiriyan, J., 927
Höhle, M., 948
Hojgaard, A., 732
Holland, S., 956
Hollingsworth, C. S., 1092
Holmes, J. L., 933, 1160
Holmes, S. P., 68
Hooper, J., 956
Hopper, J. E., 921
Horak, I. G., 817
Horta, M. C., 1156
Hu, R., 509
Hueffer, K., 1108
Hugo, L. E., 353
Hullinger, P., 115
Huntington, T. E., 157

I

Ikemoto, T., 963
Izri, A., 466

J

Jaenson, T.G.T., 88, 1057
Jambulingam, P., 148
James, A. A., 172
Janeira, F., 237
Jardine, A., 1011
Javadian, E., 726
Jiang, Z., 439
Johansen, C. A., 1011
Johnson, B. W., 1187
Johnson, M. F., 1023
Johnson, P. H., 1173
Jones, J. J., 307
Jones, J. W., 720, 1165
Jones, K., 509
Jones, L., 314
Jordan, R. A., 899
Juliano, S. A., 210, 375
Junqueira, A.C.M., 667
Just, F. T., 948

K

Kairo, A., 102
Kamgang, B., 391
Kaneko, S., 1050
Kang, W., 1117
Kanganje, Y., 237
Kännaste, A., 1039
Kanost, M. R., 94
Kappmeyer, L. S., 1152
Kassogue, Y., 643
Kaufman, A., 939
Kay, B. H., 353
Kearney, M. T., 267
Kelley, K., 751
Kengne, P., 576
Kennsington, M., 494
Kerrod, E., 314
Kim, C.-H., 203
Kim, K. S., 610
Kinley, J. R., 452
Kitron, U. D., 125
Kitthawee, S., 307
Klein, T. A., 720, 1165
Kline, D., 517
Klompen, H., 193
Knols, B.G.J., 698, 1039
Knowles, D. P., 1152
Koenraadt, C.J.M., 28, 331
Komar, N., 1187
Kramer, V., 509
Krueger, L., 509
Küchenhoff, H., 948
Kwon, D. H., 912, 1092

L

Labruna, M. B., 770, 1156
Laffey, R., 751
Lambdin, B., 758
Lampman, R., 203
Lan, Q., 439
Lanzaro, G. C., 160, 260
LaPointe, D. A., 600
Laporta, G. Z., 970
Larson, R. T., 439
Leach, S., 314
Leake-Lyall, C., 956
Lee, S. H., 912, 1092
Lee, Y., 260
Lehmann, T., 643
Leighton, B. J., 470
Leisnham, P. T., 210
Levy, M. G., 176
Li, A. Y., 427, 905
Li, D., 68
Lietze, V.-U., 42
Linardi, P. M., 1139
Lindh, J. M., 1039
Lindsay, M.D.A., 1011

Linthicum, K. J., 82, 102, 401, 414, 1071
Loaiza, J. R., 841
LoGiudice, K., 139
Long, S. A., 1173
Lopes, C. M., 14
López B, M. R., 1187
Lord, C. C., 483
Lorosa, E. S., 873
Los, S., 314
Loss, S. R., 125
Lothrop, B., 494
Lothrop, H. D., 494
Lounibos, L. P., 629
Lowenberger, C. A., 470
Lucientes, J., 347
Lysyk, T. J., 1000, 1064

M
Macaluso, K. R., 267
Machado, R.N.M., 166
Maïga, H. M., 643
Main, A. J., 445
Mangold, A. J., 832
Mannelli, A., 547
Manrique-Saide, P., 169
Marcondes, C. B., 873
Mariappan, T., 148
Marinotti, O., 172
Marrelli, M. T., 970
Martinez, V. M., 1126
Martínez-Ibarra, J. A., 476
Martín-Hernández, R., 715
Martins, G. F., 1102
Martins, T. F., 1156
Matsumoto, K., 466
McGinn, D., 1087
McKern, J. A., 229
McMillen, L., 276
Medlock, J. M., 314
Meide, L., 1007
Melero-Alcibar, R., 347
Melgar, S., 52
Mellor, P. S., 129
Mendelson, E., 939
Meneses, C. R., 160
Mercer, D. R., 861
Mertens, P.P.C., 129
Miller, J. A., 109
Miller, M. K., 176
Miller, R. J., 427, 905
Milleron, R. S., 160
Minakawa, N., 1050
Miranda, J. C., 409
Molaei, G., 1143
Molina, R., 347
Monroy, C., 52
Montenieri, J. A., 933, 1160
Moore, C. G., 800
Morales-Betoulle, M. E., 1187
Morales-Corona, Z. Y., 476
Moreno, M., 237
Mores, C. N., 483
Motazedian, M. H., 726
Müller, G. C., 384
Murrell, E. G., 375
Mutunga, J., 242
Myskova, J., 133

N
Nagaki, S. S., 970
Nawaey, T. M., 115
Ndjemai, H. M., 260
Necaise, J. S., 959
Nene, V. M., 677, 686
Ng, A., 260
Nieto, N. C., 763
Nishimura, N., 629
Nogueda-Torres, B., 476
Noireau, F., 14
Novak, R. J., 203

O
OConnor, B. M., 193
Ogrzewalska, M., 770, 1156
O'Guinn, M. L., 720
Old, J. M., 745
Oliveira, E., 1057
Olmeda, A. S., 715
Olson, M. A., 638
Ordóñez, A., 522
Orshan, L., 939
Ortiz, D. I., 1117
Ostfeld, R. S., 139

P
Pacheco, J. B., 873
Pacheco, R. C., 770
Paladini, M., 517
Palma, M. S., 409
Pålsson, K., 88, 1057
Panella, N., 1187
Pape, T., 594
Parbaripai, A., 251
Parola, P., 466
Patchoké, S., 260
Patrican, L. A., 102
Paupy, C., 391
Pecor, J. E., 1165
Pener, H., 939
Pereira, R. M., 82
Pérez, J. L., 715
Pérez-Doria, A., 653
Perrotey, S., 370
Pesson, B., 370
Peterson, A. T., 852
Pfister, K., 948
Picollo, M. I., 298, 421, 693
Piesman, J., 732, 899
Pietzsch, M. E., 314
Pimenta, P.F.P., 982, 1102
Pineda, M.L.M., 1187
Pineda, S. S., 52
Pinedo-Vasquez, M., 1023
Pinger, R. R., 289
Pinheiro, W. D., 172
Pinter, A., 1156
Pinto, J., 237, 1057
Pinto, L. C., 982
Platt, K. B., 452
Polsomboon, S., 251
Ponçon, N., 576
Poolprasert, P., 251
Pornwiroon, W., 267
Poulson, R. L., 1
Powers, A., 1187
Pradel, I., 948
Prates, D. B., 409
Pridgeon, J. W., 82, 401, 414, 1071

Q
Quick-Miles, S., 353

R
Ragagli, C., 547
Raoult, D., 466
Rapley, L. P., 1173
Rassi, Y., 726
Ratcliffe, N., 314
Read, A., 1108
Reed, M., 751
Reimer, L., 260, 751
Reinhardt, K., 956
Reisen, W. K., 494, 751, 1126
Reiskind, M. H., 20
Ribolla, P.E.M., 59
Rice, N.V.P., 314
Richards, S. L., 483, 617
Richardus, J. H., 741
Ritchie, S. A., 737, 1173
Rocha Vargas, P. S., 166
Rochlin, I., 563
Rodas, A., 52
Roe, R. M., 891
Roitberg, B. D., 470
Roiz, D., 347
Rojas-Soto, O. R., 540
Rossi, G. C., 342
Rovira, J. R., 841
Rowley, W. A., 452
Rowton, E. D., 9
Rueda, L. M., 852
Ruiz, M. O., 125
Russell, R. C., 737
Rust, M. K., 36
Ryan, P. A., 353

S
Sala, L. M., 210
Salgueiro, P., 1057
Sallum, M.A.M., 970
Samuel, P. P., 927
Sandoval-Ruiz, C. A., 540
Sanghrajka, P. B., 115
Sanogo, Y. O., 203
Santo Orihuela, P. L., 298

Santos, L. D., 409
Sardelis, M. R., 1165
Sauri-Arceo, C., 169
Savage, H. M., 276
Schlein, Y., 384
Schmaedick, M. A., 758
Schnur, H., 939
Schoergendorfer, A., 861
Schotthoefer, A. M., 1160
Schulze, L., 899
Schuster, A. L., 817
Schwint, O. N., 1152
Scialdone, M. A., 1080
Scoles, G. A., 109, 1064, 1152
Scott, M. E., 841
Scott, T. W., 307
Secundino, N.F.C., 982
Serra-Freire, N. M., 873
Serrão, J. E., 991
Shaman, J., 458
Sharp, B., 885
Shaw, A. E., 129
Sherlock, I., 14
Shiao, S.-F., 785
Shulman, L., 939
Sierra, D., 653
Silaghi, C., 948
Simard, F., 391
Sithiprasasna, R., 307
Smartt, C. T., 326, 877
Sonye, G., 1050
Sosa, S. M., 1187
Souza, A.P.A., 409
Spero, N. C., 1080
Srinivasan, R., 148
Steelman, C. D., 229
Stein, M., 342
Steiner, F. E., 289
Strickman, D. A., 414
Strycharz, J. P., 75, 912, 1092
Stuart, M. A., 921
Stumpf, C. F., 891
Sucaet, Y., 775
Sutherland, G., 276
Suwonkerd, W., 251
Sweeney, A. W., 1087
Szalanski, A. L., 229
Szpila, K., 594

T
Tadei, W. P., 172
Terenius, O., 172
Thiemann, T., 751
Tiawsirisup, S., 452
Tijerina, M., 905
Toloza, A. C., 421
Tomassone, L., 547
Tongyan, Z., 1007
Torrente, M., 715
Toty, C., 576
Traoré, S. F., 260, 643
Tsuda, Y., 610
Tucker, B. J., 452, 775
Turell, M. J., 102, 720, 1165
Turner, J. C., 572
Tyagi, B. K., 927

U
Ueti, M. W., 1152
Uezu, A., 770

V
Valcárcel, F., 715
Valinsky, A., 939
Vandyke, R., 861
Van Hemert, J., 775
Vann, C. N., 289
Vassena, C. V., 298, 421
Vélez, I. D., 653
Ventura-Rodríguez, L. V., 476
Venzal, J. M., 832
Veronesi, E., 129
Vetter, R. S., 36
Vetter, S. M., 933, 1160
Vicente, J. L., 237, 1057
Vilcins, I.-M. E., 745
Vitek, C. J., 483
Vogl, S. J., 1108
Voigt, D. W., 157
Volf, P., 133
Votypka, J., 133

W
Walker, E. D., 125
Walter, A., 14
Wang, X., 94
Watts, D. M., 720, 1165
Weaver, S. C., 1117
Webb, C. E., 737
Wei, J., 533
Weinstein, P., 1011
Weiss, L., 939
Wen, B.-H., 741
Wermelinger, E. D., 166
Wessely, V., 439
West, M., 921
Wheeler, S. S., 494
Wikswo, M. E., 509
Wilkerson, M. J., 94
Wilkerson, R. C., 852
Williams, C. R., 1173
Wilson, M. L., 20
Wilson de Carvalho, R., 166
Wisniewska, J., 115
Witting-Bissinger, B. E., 891
Wright, S., 751

X
Xuezhong, W., 1007

Y
Yaghoobi-Ershadi, M. R., 726
Yan, G., 242
Yande, D., 1007
Yang, H., 741
Yaro, A. S., 643
Yee, D. A., 581
Yeh, T.-C., 785
Yoon, K. S., 75, 912, 1092
Yoshimura, G., 751

Z
Zanetti, A. S., 267
Zanuncio, J. C., 991
Zapata-Peniche, A., 169
Zeichner, B. C., 617
Zerba, E. N., 298, 421, 693
Zhan, L., 741
Zhao, L., 401, 414, 1071
Zhou, G., 242
Zhunwei, D., 1007
Zumaquero-Rios, J. L., 540
Zyzak, M., 720

CUMULATIVE KEY WORD INDEX
Medical Entomology
Volume 45, 2008

A

A+T-rich region,
  gene duplication, 667
  gene order, 667
  illegitimate recombination, 667
  Insecta, 667
acari,
  Chirorhynchobiidae, 193
  ectoparasites, 193
  morphology, 193
  phyllostomid bats, 193
acaricide,
  Boophilus microplus, 427
  inheritance, 427
  southern cattle tick, 427
actin and blood feeding,
  Culex nigripalpus, 877
  mosquito, 877
adaptation,
  alphavirus, 1117
  mosquito, 1117
  susceptibility, 1117
  vector, 1117
  Venezuelan equine encephalitis, 1117
adult redescription,
  Psorophora (*Grabhamia*) *varinervis*, 342
  pupa and larval description, 342
Aedes, 439, 581, 800
  arbovirus, 581
  cholesterol, 439
  climate, 800
  container, 581
  Culex, 581, 800
  Culiseta, 800
  insecticide, 439
  larvae, 581
  larvicide, 439
  Ochlerotatus, 800
  sterol carrier protein, 439
Aedes aegypti, 28, 59, 251, 307, 331, 375, 391, 401, 414, 1071, 1173
  Aedes albopictus, 375
  age, 307
  artificial containers, 375
  behavioral responses, 251
  Cameroon, 391
  cephalothorax length, 331
  cephalothorax width, 331
  CIMSiM, 1173
  condition-specific competition, 375
  container, 28
  Culex pipiens, 28
  Culicidae, 375
  cytochrome *c*, 401
  DDT, 251
  deltamethrin, 251
  development, 401
  developmental regulation, 1071
  double-stranded RNA, 414
  environment, 401
  excito-repellency, 251
  fitness, 331
  genetic variability, 59
  heteroplasmy, 59
  inhibitor of apoptosis, 414, 1071
  inhibitor of apoptosis protein, 1071
  microsatellite, 391
  mitochondrial DNA, 59, 391
  modeling, 1173
  permethrin, 401
  pesticide, 414
  population, 1173
  population dynamics, 28
  population genetics, 59, 391
  pupal crop, 1173
  quantitative PCR, 1071
  rainfall, 28
  RNA interference, 414
  simulation, 1173
  survival, 307
  synthetic cohort, 307
  Thailand, 307
  wet weight, 331
Aedes albopictus, 375, 533, 617
  Aedes aegypti, 375
  artificial containers, 375
  blood-feeding behavior, 533
  condition-specific competition, 375
  Culicidae, 375
  geographic information systems, 617
  host-seeking behavior, 533
  mosquito production, 617
  source reduction, 617
  spatial analysis, 617
  spatial repellent, 533
Aedes intrudens,
  catnip, 1080
  dihydronepetalactone, 1080
  repellent, 1080
  Simulium decorum, 1080
Aedes oceanicus,
  Aedes polynesiensis, 758
  American Samoa, 758
  lymphatic filariasis, 758
  Wuchereria bancrofti, 758
Aedes polynesiensis,
  Aedes oceanicus, 758
  American Samoa, 758
  lymphatic filariasis, 758
  Wuchereria bancrofti, 758
Aedes vexans,
  Culex pipiens, 452
  enzootic vector, 452
  vector competence, 452
  West Nile virus, 452
Aetheca wagneri,
  deer mice, 1160
  Peromyscus maniculatus, 1160
  plague, 1160
  Yersinia pestis, 1160
Africa, 102, 963
  Anopheles gambiae, 963
  intrinsic optimum temperature, 963
  malaria, 963
  mosquito, 102
  Plasmodium falciparum, 963
  Rift Valley fever virus, 102
  transmission, 102
  vector, 102
African animal trypanosomoses,
  fragmentation analysis, 1180
  remote sensing, 1180
  tsetse, 1180
  vectors, 1180
age,
  Aedes aegypti, 307
  survival, 307
  synthetic cohort, 307
  Thailand, 307
aggregation,
  Ixodes ricinus, 222
  kairomone, 222
  pheromone, 222
  questing, 222
albopictus,
  Catalonia, 347
  Europe, 347
  Spain, 347
  Stegomyia, 347
alphavirus,
  adaptation, 1117
  mosquito, 1117
  susceptibility, 1117
  vector, 1117

Venezuelan equine encephalitis, 1117
alternative mating strategies,
Anopheles gambiae, 643
molecular forms, 643
Amazon,
Iquitos, 1023
land use, 1023
mosquito diversity, 1023
remotely sensed images, 1023
Amazon Basin,
Anopheles, 1165
bionomics, 1165
mosquito ecology, 1165
Peru, 1165
Amblyomma americanum, 176, 267, 867
Bartonella, 176
Dermacentor variabilis, 867
habitat quality, 867
invasion, 867
Microstegium vimineum, 867
PCR, 176
quantitative real-time polymerase chain reaction, 267
Rickettsia amblyommii, 267
spotted fever group *Rickettsia*, 267
Amblyomma aureolatum,
Amblyomma cajennense, 1156
Rhipicephalus sanguineus, 1156
Rickettsia rickettsii, 1156
spotted fever, 1156
Amblyomma cajennense,
Amblyomma aureolatum, 1156
Rhipicephalus sanguineus, 1156
Rickettsia rickettsii, 1156
spotted fever, 1156
Amblyomma longirostre,
Amblyomma parkeri, 770
Atlantic forest, 770
birds, 770
Rickettsia amblyommii, 770
Amblyomma parkeri,
Amblyomma longirostre, 770
Atlantic forest, 770
birds, 770
Rickettsia amblyommii, 770
American Samoa,
Aedes oceanicus, 758
Aedes polynesiensis, 758
lymphatic filariasis, 758
Wuchereria bancrofti, 758
amphibians,
gonotrophic cycle, 1031
temperature, 1031
thermal heat summation model, 1031
An. daciae,
An. messeae, 337
internal transcribed spacer 2, 337
intragenomic heterogeneity, 337
An. messeae,
An. daciae, 337
internal transcribed spacer 2, 337
intragenomic heterogeneity, 337
anaplasmosis,
horse flies, 109
mechanical transmission, 109
ticks, 109
Anopheles, 698, 841, 885, 970, 1039, 1165
Amazon Basin, 1165
bacteria, 1039
bionomics, 1165
competitiveness, 698
gas chromatography coupled to mass spectrometry, 1039
genetic control, 698
human biting rate, 841
identification, 970
insecticide resistance, 885
internal transcribed spacer 2, 970
malaria, 841
male genitalia, 970
management, 885
mosquito ecology, 1165
Mozambique, 885
Nyssorhynchus, 970
oviposition response, 1039
Panama, 841
partially sterilizing dose, 698
Peru, 1165
solid phase microextraction, 1039
sterile insect technique, 698
Anopheles arabiensis,
Anopheles gambiae, 242
insecticide resistance, 242
kdr, 242
monooxygenase, 242
Anopheles darlingi,
malaria, 172
paratransgenesis, 172
Anopheles fluviatilis S,
Anopheles harrisoni, 852
Anopheles minimus, 852
distribution, 852
ecological niche, 852
Anopheles gambiae, 237, 242, 260, 643, 963, 1050, 1057
Africa, 963
alternative mating strategies, 643
Anopheles arabiensis, 242
Cameroon, 260
diving, 1050
hybrids, 1057
insecticide resistance, 242, 260
intrinsic optimum temperature, 963
kdr, 242, 260
kdr mutations, 237
malaria, 963, 1050
molecular forms, 643, 1057
monooxygenase, 242
PIRA-PCR, 237
Plasmodium falciparum, 963
predator avoidance, 1050
pyrethroids, 260
resistance, 237
speciation, 1057
wolf spider, 1050
Anopheles harrisoni,
Anopheles fluviatilis S, 852
Anopheles minimus, 852
distribution, 852
ecological niche, 852
Anopheles hyrcanus,
France, 576
malaria, 576
mtDNA, 576
rDNA, 576
Anopheles minimus, 852, 1007
Anopheles fluviatilis S, 852
Anopheles harrisoni, 852
correlation, 1007
distribution, 852
ecological niche, 852
environment, 1007
malaria, 1007
Anopheles quadrimaculatus,
Culex quinquefasciatus, 82
antenna,
Lutzomyia longipalpis, 982
Phlebotominae, 982
ultrastructure, 982
visceral leishmaniasis vector, 982
antennal sensilla,
Chagas disease, 660
habitat, 660
phenotype, 660
Triatoma infestans, 660
antibody, 94, 470
bloodmeal, 470
bovine lymphocytes, 94
enzyme-linked immunosorbent assay, 470
lymphocyte suppression, 94
mosquito, 470
salivary gland protein, 94
stable fly, 94
wildlife disease, 470

aquaporin,
Dermacentor variabilis, 68
ovary, 68
tick, 68
Arachnida,
brown recluse spider, 36
Loxosceles, 36
spider control, 36
urban entomology, 36
arboviral epidemics,
hydrologic monitoring, 458
St. Louis encephalitis virus, 458
water table depth, 458
West Nile virus, 458
arbovirus,
Aedes, 581
blood-feeding behavior, 1143
container, 581
Culex, 581
cytochrome b, 1143
larvae, 581
mosquitoes, 1143
vector, 1143
artificial containers,
Aedes aegypti, 375
Aedes albopictus, 375
condition-specific competition, 375
Culicidae, 375
Atlantic forest,
Amblyomma longirostre, 770
Amblyomma parkeri, 770
birds, 770
Rickettsia amblyommii, 770
attraction,
Culex pipiens, 384
floral nectar preference, 384
4-methylphenol, 638
mosquitoes, 384
3-*n*-propylphenol, 638
.ctenol, 638
oral insecticide, 384
semiochemicals, 638
Australia, 737, 1087
bifenthrin, 1087
Bistar 80 SC, 1087
Culex annulirostris, 1087
Mansonia septempunctata, 737
Ross River virus, 737
tent treatment, 1087
Verrallina carmenti, 737
Verrallina lineata, 737
avian malaria,
Culex quinquefasciatus, 600
dispersal, 600
Hawaiian Islands, 600
mark–release–recapture, 600

B

bacteria,
Anopheles, 1039
gas chromatography coupled to mass spectrometry, 1039
oviposition response, 1039
solid phase microextraction, 1039
Bartonella,
Amblyomma americanum, 176
PCR, 176
Bayesian statistics,
Ixodes scapularis, 556
population estimates, 556
bed bug, 229, 1092
Cimex lectularius, 229
deltamethrin resistance, 1092
genetic variation, 229
knockdown resistance (*kdr*), 1092
mitochondrial DNA, 229
voltage-sensitive sodium channel, 1092
behavior,
Culicoides sonorensis, 921
generalized linear mixed model, 921
vesicular stomatitis virus, 921
behavioral responses,
Aedes aegypti, 251
DDT, 251
deltamethrin, 251
excito-repellency, 251
bifenthrin,
Australia, 1087
Bistar 80 SC, 1087
Culex annulirostris, 1087
tent treatment, 1087
bionomics,
Amazon Basin, 1165
Anopheles, 1165
mosquito ecology, 1165
Peru, 1165
BioUD,
deet, 891
insect repellent, 891
mosquitoes, 891
ticks, 891
birds,
Amblyomma longirostre, 770
Amblyomma parkeri, 770
Atlantic forest, 770
Rickettsia amblyommii, 770
Bistar 80 SC,
Australia, 1087
bifenthrin, 1087
Culex annulirostris, 1087
tent treatment, 1087
blood,
flea, 933
plague, 933
transmission, 933
Yersinia pestis, 933
blood feeding,
Culex nigripalpus, 326
gene expression, 326
midgut, 326
blood-feeding behavior, 533, 1143
Aedes albopictus, 533
arboviruses, 1143
cytochrome b, 1143
host-seeking behavior, 533
mosquitoes, 1143
spatial repellent, 533
vector, 1143
blood feeding source,
Culicidae, 873
Haemagogus, 873
regional variation, 873
bloodmeal,
antibody, 470
enzyme-linked immunosorbent assay, 470
mosquito, 470
wildlife disease, 470
blood-meal analysis,
bridge vector, 125
Culex pipiens, 125
West Nile virus, 125
Bluetongue virus,
Culicoides, 129
oral susceptibility, 129
TissueLyser, 129
vector competence, 129
Boophilus microplus, 427, 677
acaricide, 427
inheritance, 427
metabolic esterase, 677
pyrethroid resistance, 677
recombinant protein expression, 677
southern cattle tick, 427
Borrelia burgdorferi,
infectivity, 139
Ixodes scapularis, 139
prevalence, 139
reservoir competence, 139
Borrelia burgdorferi s.s.,
Ixodes scapularis, 732
Lyme disease, 732
ticks, 732
transmission dynamics, 732
bovine lymphocytes,
antibody, 94
lymphocyte suppression, 94
salivary gland protein, 94
stable fly, 94
Brazil,
peridomicile, 14
sylvatic environment, 14
Triatoma juazeirensis, 14
Triatoma pseudomaculata, 14

bridge vector,
blood-meal analysis, 125
Culex pipiens, 125
West Nile virus, 125
brown recluse spider,
Arachnida, 36
Loxosceles, 36
spider control, 36
urban entomology, 36

C

cadmium,
environmental pollution, 812
Ixodes ticks anomalies, 812
tick-born pathogens, 812
vectorial capacity, 812
California, 115, 751
carbon dioxide, 115
control, 751
horse, 115
mosquito, 115, 751
vector-borne disease, 751
West Nile virus, 115, 751
Calliphoridae,
forensic entomology, 785
larval competition, 785
postmortem interval, 785
Cameroon, 260, 391
Ae. aegypti, 391
Anopheles gambiae, 260
insecticide resistance, 260
kdr, 260
microsatellite, 391
mitochondrial DNA, 391
population genetics, 391
pyrethroids, 260
carbon dioxide,
California, 115
horse, 115
mosquito, 115
West Nile virus, 115
Catalonia,
albopictus, 347
Europe, 347
Spain, 347
Stegomyia, 347
catnip,
Aedes intrudens, 1080
dihydronepetalactone, 1080
repellent, 1080
Simulium decorum, 1080
cattle,
Dermacentor andersoni, 1000
engorgement, 1000
feeding duration, 1000
skin temperature, 1000
cephalothorax length,
Aedes aegypti, 331
cephalothorax width, 331
fitness, 331
wet weight, 331
cephalothorax width,
Aedes aegypti, 331
cephalothorax length, 331
fitness, 331
wet weight, 331
Chagas disease, 52, 660
antennal sensilla, 660
habitat, 660
phenotype, 660
Phyllosoma, 52
population structure, 52
salivary proteins, 52
Triatoma dimidiata, 52
Triatoma infestans, 660
Chagas' disease vector,
egg, 421
first instar, 421
insecticide resistance, 421
Triatoma infestans, 421
China,
Dermacenter silvarum, 741
Rickettsia, 741
chipmunks,
granulocytic anaplasmosis, 763
gray squirrels, 763
Ixodidae, 763
Sciurus griseus, 763
Chirorhynchobiidae,
acari, 193
ectoparasites, 193
morphology, 193
phyllostomid bats, 193
cholesterol,
Aedes, 439
insecticide, 439
larvicide, 439
sterol carrier protein, 439
Cimex lectularius, 229, 956
bed bug, 229
control, 956
genetic variation, 229
infestation, 956
mitochondrial DNA, 229
urban pest, 956
CIMSiM,
Aedes aegypti, 1173
modeling, 1173
population, 1173
pupal crop, 1173
simulation, 1173
climate,
Aedes, 800
Culex, 800
Culiseta, 800
Ochlerotatus, 800
colony maintenance,
in vitro alternatives, 9
membrane feeding, 9
Phlebotomus papatasi, 9
sand fly, 9
competition, 629, 698
Anopheles, 698
containers, 629
genetic control, 698
invasive, 629
mosquito, 629
partially sterilizing dose, 698
sterile insect technique, 698
computer simulation,
potential distribution, 540
Puebla State, 540
Triatominae, 540
condition-specific competition,
Aedes aegypti, 375
Aedes albopictus, 375
artificial containers, 375
Culicidae, 375
container, 28, 581, 629
Aedes, 581
Aedes aegypti, 28
arbovirus, 581
competition, 629
Culex, 581
Culex pipiens, 28
invasive, 629
larvae, 581
mosquito, 629
population dynamics, 28
rainfall, 28
control, 751, 899, 956
California, 751
Cimex lectularius, 956
infestation, 956
Ixodes scapularis, 899
mosquitoes, 751
4-Poster, 899
urban pest, 956
vector-borne disease, 751
West Nile virus, 751
correlation,
Anopheles minimus, 1007
environment, 1007
malaria, 1007
coumaphos,
diazinon, 905
resistance, 905
Rhipicephalus (*Boophilus*) *microplus*, 905
synergist, 905
Ctenocephalides felis felis,
dog fleas, 1139
endoparasites, 1139
gregarines, 1139
Steinina sp., 1139
Culex, 581, 800, 927
Aedes, 581, 800
arbovirus, 581
climate, 800
container, 581
Culiseta, 800
feeding pattern, 927
Japanese encephalitis, 927

larvae, 581
Mansonioides, 927
Ochlerotatus, 800
Culex annulirostris,
Australia, 1087
bifenthrin, 1087
Bistar 80 SC, 1087
tent treatment, 1087
Culex nigripalpus, 326, 877
actin and blood feeding, 877
blood feeding, 326
gene expression, 326
midgut, 326
mosquito, 877
Culex perexiguus,
Culex pipiens, 939
Israel, 939
mosquitoes, 939
West Nile, 939
Culex pipiens, 1, 28, 125, 384, 452, 939
Aedes aegypti, 28
Aedes vexans, 452
attraction, 384
blood-meal analysis, 125
bridge vector, 125
container, 28
Culex perexiguus, 939
Culex restuans, 1
enzootic vector, 452
floral nectar preference, 384
Israel, 939
morphology, 1
mosquitoes, 384, 939
oral insecticide, 384
population dynamics, 28
rainfall, 28
surveillance, 1
vector competence, 452
West Nile virus, 1, 125, 452, 939
Culex pipiens complex, 203, 276, 1126
Culex tarsalis, 1126
DV/D, 203
host-seeking activity period, 276
host-seeking height, 276
hybridization, 203
molecular identification, 203
pipiens, 276
St. Louis encephalitis virus, 1126
vector competence, 1126
West Nile virus, 276, 1126
Culex pipiens pipiens,
extrinsic incubation period, 445
horizontal transmission, 445
vertical transmission, 445
West Nile virus, 445
Culex pipiens quinquefasciatus,
Culex tarsalis, 494
St. Louis encephalitis virus, 494
West Nile virus, 494
western equine encephalomyelitis virus, 494
Culex quinquefasciatus, 82, 600, 1187
Anopheles quadrimaculatus, 82
avian malaria, 600
dispersal, 600
Flavivirus, 1187
Guatemala, 1187
Hawaiian Islands, 600
insect flavivirus, 1187
mark–release–recapture, 600
Culex restuans,
Culex pipiens, 1
morphology, 1
surveillance, 1
West Nile virus, 1
Culex tarsalis, 494, 1126
Culex pipiens complex, 1126
Culex pipiens quinquefasciatus, 494
St. Louis encephalitis virus, 494, 1126
vector competence, 1126
West Nile virus, 494, 1126
western equine encephalomyelitis virus, 494
Culex tritaeniorhynchus,
overwintering, 610
seasonal migration, 610
Tokyo, 610
urban area, 610
Culicidae, 375, 873
Aedes aegypti, 375
Aedes albopictus, 375
artificial containers, 375
blood feeding source, 873
condition-specific competition, 375
Haemagogus, 873
regional variation, 873
Culicoides,
Bluetongue virus, 129
oral susceptibility, 129
TissueLyser, 129
vector competence, 129
Culicoides sonorensis,
behavior, 921
generalized linear mixed model, 921
vesicular stomatitis virus, 921
Culiseta,
Aedes, 800
climate, 800
Culex, 800
Ochlerotatus, 800
cyberinfrastructure,
ecoinformatics, 775
ecology, 775
mosquito, 775
population dynamics, 775
cytochrome *b*, 653, 1143
arboviruses, 1143
blood-feeding behavior, 1143
Lutzomyia pia, 653
Lutzomyia tihuiliensis, 653
Lutzomyia verrucarum group, 653
mosquitoes, 1143
sand flies, 653
vector, 1143
cytochrome *c*,
Aedes aegypti, 401
development, 401
environment, 401
permethrin, 401
cytochrome P450,
esterase, 686
expressed sequence tags, 686
Hematobia irritans, 686
insecticide resistance, 686

D

DDT,
Aedes aegypti, 251
behavioral responses, 251
deltamethrin, 251
excito-repellency, 251
deer mice,
Aetheca wagneri, 1160
Peromyscus maniculatus, 1160
plague, 1160
Yersinia pestis, 1160
deet,
BioUD, 891
insect repellent, 891
mosquitoes, 891
ticks, 891
defective RWHS,
pupae per person Index, 148
pupal productivity, 148
rainwater harvesting structure (RWHS), 148
Stegomyia indices, 148
deltamethrin,
Aedes aegypti, 251
behavioral responses, 251
DDT, 251
excito-repellency, 251
deltamethrin resistance,
bed bug, 1092
knockdown resistance (*kdr*), 1092
voltage-sensitive sodium channel, 1092

demodectic mange,
Demodex odocoilei, 572
Demodicidae, 572
Texas, 572
white-tailed deer, 572
Demodex odocoilei,
demodectic mange, 572
Demodicidae, 572
Texas, 572
white-tailed deer, 572
Demodicidae,
demodectic mange, 572
Demodex odocoilei, 572
Texas, 572
white-tailed deer, 572
dengue,
Lyme disease, 181
plague, 181
spatial risk models, 181
tularemia, 181
Dermacentor andersoni, 1000, 1064
cattle, 1000
engorgement, 1000
feeding duration, 1000
fertility, 1064
population genetics, 1064
reproduction, 1064
skin temperature, 1000
Dermacentor occidentalis,
Dermacentor variabilis, 509
Rickettsia rhipicephali, 509
Rickettsia rickettsii, 509
Rocky Mountain spotted fever, 509
Dermacentor silvarum,
China, 741
Rickettsia, 741
Dermacentor variabilis, 68, 509, 867
Amblyomma americanum, 867
aquaporin, 68
Dermacentor occidentalis, 509
habitat quality, 867
invasion, 867
Microstegium vimineum, 867
ovary, 68
Rickettsia rhipicephali, 509
Rickettsia rickettsii, 509
Rocky Mountain spotted fever, 509
tick, 68
development,
Aedes aegypti, 401
cytochrome *c*, 401
environment, 401
permethrin, 401
developmental regulation,
Aedes aegypti, 1071
inhibitor of apoptosis, 1071
inhibitor of apoptosis protein, 1071
quantitative PCR, 1071
diazinon,
coumaphos, 905
resistance, 905
Rhipicephalus (*Boophilus*) *microplus*, 905
synergist, 905
dihydronepetalactone,
Aedes intrudens, 1080
catnip, 1080
repellent, 1080
Simulium decorum, 1080
Diptera,
forensic entomology, 522
Sabana de Bogotá–Colombia, 522
Schoenly trap, 522
Dirofilaria immitis,
dogs, 169
Mexico, 169
microfilaria, 169
Ochlerotatus taeniorhynchus, 169
dispersal,
avian malaria, 600
Culex quinquefasciatus, 600
Hawaiian Islands, 600
mark–release–recapture, 600
distribution, 832, 852, 959
Anopheles fluviatilis S, 852
Anopheles harrisoni, 852
Anopheles minimus, 852
ecological niche, 852
Latrodectus geometricus, 959
mitochondrial 16S rDNA sequence, 832
Ornithodoros (*Alectorobius*) *rioplatensis* n. sp., 832
Ornithodoros (*Alectorobius*) *talaje* species group, 832
Theridiidae, 959
venom, 959
diving,
Anopheles gambiae, 1050
malaria, 1050
predator avoidance, 1050
wolf spider, 1050
dog fleas,
Ctenocephalides felis felis, 1139
endoparasites, 1139
gregarines, 1139
Steinina sp., 1139
dogs,
Dirofilaria immitis, 169
Mexico, 169
microfilaria, 169
Ochlerotatus taeniorhynchus, 169
dosage,
insect repellent, 706
IR3535, 706
double-stranded RNA,
Aedes aegypti, 414
inhibitor of apoptosis, 414
pesticide, 414
RNA interference, 414
dryland salinity,
population dynamics, 1011
Ross River virus, 1011
DV/D,
Culex pipiens complex, 203
hybridization, 203
molecular identification, 203

E

eastern equine encephalitis virus,
mosquito, 720
Peru, 720
transmission, 720
ecoinformatics,
cyberinfrastructure, 775
ecology, 775
mosquito, 775
population dynamics, 775
ecological equivalence,
invasion biology, 20
larval competition, 20
phenology, 20
West Nile virus, 20
ecological niche, 852
Anopheles fluviatilis S, 852
Anopheles harrisoni, 852
Anopheles minimus, 852
distribution, 852
ecology, 314, 775
cyberinfrastructure, 775
ecoinformatics, 775
Ixodes ricinus, 314
mosquito, 775
population dynamics, 775
risk mapping, 314
ticks, 314
vectors, 314
ectoparasites, 193, 745
acari, 193
Chirorhynchobiidae, 193
Ixodes tasmani, 745
koalas, 745
morphology, 193
phyllostomid bats, 193
Rickettsia, 745
spotted fever group, 745
egg, 160, 421, 693
Chagas' disease vector, 421
first instar, 421
head lice, 693
insecticide, 693
insecticide resistance, 421
longevity, 160
Lutzomyia longipalpis, 160
moisture, 160
oviposition, 160
pyrethroids, 693

resistance, 693
Triatoma infestans, 421
endoparasites,
Ctenocephalides felis felis, 1139
dog fleas, 1139
gregarines, 1139
Steinina sp., 1139
engorgement,
cattle, 1000
Dermacentor andersoni, 1000
feeding duration, 1000
skin temperature, 1000
environment, 401, 1007
Aedes aegypti, 401
Anopheles minimus, 1007
correlation, 1007
cytochrome *c*, 401
development, 401
malaria, 1007
permethrin, 401
environmental pollution,
cadmium, 812
Ixodes ticks anomalies, 812
tick-born pathogens, 812
vectorial capacity, 812
enzootic vector,
Aedes vexans, 452
Culex pipiens, 452
vector competence, 452
West Nile virus. 452
enzyme-linked immunosorbent assay,
antibody, 470
bloodmeal, 470
mosquito, 470
wildlife disease, 470
epidemiological role,
Mexico, 476
Triatominae, 476
epidemiology,
Germany, 948
Ixodes ricinus, 948
Rickettsia helvetica, 948
Rickettsia monacensis, 948
equine,
one-host tick, 1152
piroplasmosis, 1152
tick-borne transmission, 1152
transovarial transmission, 1152
essential oil,
Ixodes ricinus, 88
Tanacetum vulgare, 88
terpenoids, 88
tick repellents, 88
esterase,
cytochrome P450, 686
expressed sequence tags, 686
Hematobia irritans, 686
insecticide resistance, 686
Europe,
albopictus, 347
Catalonia, 347
Spain, 347
Stegomyia, 347
excito-repellency,
Aedes aegypti, 251
behavioral responses, 251
DDT, 251
deltamethrin, 251
expressed sequence tags,
cytochrome P450, 686
esterase, 686
Hematobia irritans, 686
insecticide resistance, 686
extrinsic incubation period,
Culex pipiens pipiens, 445
horizontal transmission, 445
vertical transmission, 445
West Nile virus, 445

F

fat body,
morphology, 1102
mosquito, 1102
fecundity,
life history evolution, 210
reproductive investment, 210
survival, 210
feeding duration,
cattle, 1000
Dermacentor andersoni, 1000
engorgement, 1000
skin temperature, 1000
feeding pattern,
Culex, 927
Japanese encephalitis, 927
Mansonioides, 927
fertility,
Dermacentor andersoni, 1064
population genetics, 1064
reproduction, 1064
first instar, 421, 594
Chagas' disease vector, 421
egg, 421
insecticide resistance, 421
larva, 594
morphology, 594
Musca domestica, 594
scanning electron microscopy, 594
Triatoma infestans, 421
fitness,
Aedes aegypti, 331
cephalothorax length, 331
cephalothorax width, 331
wet weight, 331
Flavivirus,
Culex quinquefasciatus, 1187
Guatemala, 1187
insect flavivirus, 1187
flea,
blood, 933
plague, 933
transmission, 933
Yersinia pestis, 933
floral nectar preference,
attraction, 384
Culex pipiens, 384
mosquitoes, 384
oral insecticide, 384
forensic entomology, 157, 522, 785
Calliphoridae, 785
Diptera, 522
larval competition, 785
medical entomology, 157
myiasis, 157
Phoridae, 157
postmortem interval, 785
Sabana de Bogotá–Colombia, 522
Schoenly trap, 522
fragmentation analysis,
African animal trypanosomoses, 1180
remote sensing, 1180
tsetse, 1180
vectors, 1180
France, 466, 576
Anopheles hyrcanus, 576
malaria, 576
mtDNA, 576
Phlebotomus perniciosus, 466
rDNA, 576
Sergentomyia minuta, 466
Wolbachia, 466
Francisella,
hemocyte-like cells, 1108
mosquito, 1108
pathogenicity, 1108
vector biology, 1108
virulence factor, 1108

G

gas chromatography coupled to mass spectrometry,
Anopheles, 1039
bacteria, 1039
oviposition response, 1039
solid phase microextraction, 1039
gene duplication,
A+T-rich region, 667
gene order, 667
illegitimate recombination, 667
Insecta, 667
gene expression,
blood feeding, 326
Culex nigripalpus, 326
midgut, 326
gene order,
A+T-rich region, 667
gene duplication, 667
illegitimate recombination, 667
Insecta, 667

generalized linear mixed model,
behavior, 921
Culicoides sonorensis, 921
vesicular stomatitis virus, 921
genetic control,
Anopheles, 698
competitiveness, 698
partially sterilizing dose, 698
sterile insect technique, 698
genetic variation, 59, 229, 370
Aedes aegypti, 59
bed bug, 229
Cimex lectularius, 229
heteroplasmy, 59
isozyme, 370
Marrakech, 370
mitochondrial DNA, 59, 229
Morocco, 370
Phlebotomus papatasi, 370
population genetics, 59
geographic distribution,
hosts, 817
Hyalomma (*Euhyalomma*) *dromedarii*, 817
Hyalomma (*Euhyalomma*) *schulzei*, 817
systematics, 817
geographic information systems,
Aedes albopictus, 617
mosquito production, 617
source reduction, 617
spatial analysis, 617
Germany,
epidemiology, 948
Ixodes ricinus, 948
Rickettsia helvetica, 948
Rickettsia monacensis, 948
GIS,
mosquito vectors, 563
rural, 563
urban, 563
West Nile virus, 563
gland,
insects, 991
morphology, 991
saliva, 991
zoology, 991
gonotrophic cycle,
amphibians, 1031
temperature, 1031
thermal heat summation model, 1031
granulocytic anaplasmosis,
chipmunks, 763
gray squirrels, 763
Ixodidae, 763
Sciurus griseus, 763
gray squirrels,
chipmunks, 763
granulocytic anaplasmosis, 763
Ixodidae, 763
Sciurus griseus, 763
gregarines,
Ctenocephalides felis felis, 1139
dog fleas, 1139
endoparasites, 1139
Steinina sp., 1139
Guatemala,
Culex quinquefasciatus, 1187
Flavivirus, 1187
insect flavivirus, 1187
gynandromorphism,
Lutzomyia davisi, 166
sand flies, 166

H

habitat,
antennal sensilla, 660
Chagas disease, 660
phenotype, 660
Triatoma infestans, 660
habitat quality,
Amblyomma americanum, 867
Dermacentor variabilis, 867
invasion, 867
Microstegium vimineum, 867
Haemagogus,
blood feeding source, 873
Culicidae, 873
regional variation, 873
Hawaiian Islands,
avian malaria, 600
Culex quinquefasciatus, 600
dispersal, 600
mark–release–recapture, 600
head lice,
eggs, 693
insecticide, 693
pyrethroids, 693
resistance, 693
Hematobia irritans,
cytochrome P450, 686
esterase, 686
expressed sequence tags, 686
insecticide resistance, 686
hemocyte-like cells,
Francisella, 1108
mosquito, 1108
pathogenicity, 1108
vector biology, 1108
virulence factor, 1108
heteroplasmy,
Aedes aegypti, 59
genetic variability, 59
mitochondrial DNA, 59
population genetics, 59
horizontal transmission,
Culex pipiens pipiens, 445
extrinsic incubation period, 445
vertical transmission, 445
West Nile virus, 445
horse,
California, 115
carbon dioxide, 115
mosquito, 115
West Nile virus, 115
horse flies,
anaplasmosis, 109
mechanical transmission, 109
ticks, 109
host-seeking activity period,
Culex pipiens complex, 276
host-seeking height,
pipiens, 276
West Nile virus, 276
host-seeking behavior,
Aedes albopictus, 533
blood-feeding behavior, 533
spatial repellent, 533
host-seeking height, 276
Culex pipiens complex, 276
host-seeking activity period, 276
pipiens, 276
West Nile virus, 276
hosts,
geographic distribution,
Hyalomma (*Euhyalomma*) *dromedarii*, 817
Hyalomma (*Euhyalomma*) *schulzei*, 817
systematics, 817
house fly,
infection, 42
Musca domestica, 42
salivary gland hypertrophy virus, 42
human biting rate,
Anopheles, 841
malaria, 841
Panama, 841
human head lice,
kdr, 912
pyrethroid resistance, 912
quantitative sequencing, 912
sodium channel, 912
human head louse,
in vitro rearing system, 75
ivermectin formulation, 75
Pediculus humanus capitis, 75
Hyalomma (*Euhyalomma*) *dromedarii*,
geographic distribution, 817
hosts, 817
Hyalomma (*Euhyalomma*) *schulzei*, 817
systematics, 817
Hyalomma (*Euhyalomma*) *schulzei*,
geographic distribution, 817
hosts, 817
Hyalomma (*Euhyalomma*) *dromedarii*, 817

systematics, 817
Hyalomma lusitanicum,
LD_{50}, 715
organic treatment, 715
oxalic acid, 715
tick biocontrol, 715
hybridization,
Culex pipiens complex, 203
DV/D, 203
molecular identification, 203
hybrids,
Anopheles gambiae, 1057
molecular forms, 1057
speciation, 1057
hydrologic monitoring,
arboviral epidemics, 458
St. Louis encephalitis virus, 458
water table depth, 458
West Nile virus, 458

I

identification,
Anopheles, 970
internal transcribed spacer 2, 970
male genitalia, 970
Nyssorhynchus, 970
illegitimate recombination,
A+T-rich region, 667
gene duplication, 667
gene order, 667
Insecta, 667
immature development,
life history, 861
photoperiodic response, 861
size dimorphism, 861
treehole, 861
in vitro alternatives,
colony maintenance, 9
membrane feeding, 9
Phlebotomus papatasi, 9
sand fly, 9
in vitro rearing system,
human head louse, 75
ivermectin formulation, 75
Pediculus humanus capitis, 75
infection, 42, 483
house fly, 42
Musca domestica, 42
salivary gland hypertrophy virus, 42
St. Louis encephalitis virus, 483
surveillance, 483
vector–host transmission, 483
West Nile virus, 483
infectivity,
Borrelia burgdorferi, 139
Ixodes scapularis, 139
prevalence, 139
reservoir competence, 139
infestation,
Cimex lectularius, 956
control, 956
urban pest, 956
inheritance,
acaricide, 427
Boophilus microplus, 427
southern cattle tick, 427
inhibitor of apoptosis, 414, 1071
Aedes aegypti, 414, 1071
developmental regulation, 1071
double-stranded RNA, 414
inhibitor of apoptosis protein, 1071
pesticide, 414
quantitative PCR, 1071
RNA interference, 414
inhibitor of apoptosis protein,
Aedes aegypti, 1071
developmental regulation, 1071
inhibitor of apoptosis, 1071
quantitative PCR, 1071
insect flavivirus,
Culex quinquefasciatus, 1187
Flavivirus, 1187
Guatemala, 1187
insect repellent, 706, 891
BioUD, 891
deet, 891
dosage, 706
IR3535, 706
mosquitoes, 891
ticks, 891
Insecta,
A+T-rich region, 667
gene duplication, 667
gene order, 667
illegitimate recombination, 667
insecticide, 439, 693
Aedes, 439
cholesterol, 439
eggs, 693
head lice, 693
larvicide, 439
pyrethroids, 693
resistance, 693
sterol carrier protein, 439
insecticide resistance, 242, 260, 298, 421, 686, 885
Anopheles arabiensis, 242
Anopheles gambiae, 242, 260
Anopheles, 885
Cameroon, 260
Chagas' disease vector, 421
cytochrome P450, 686
egg, 421
esterase, 686
expressed sequence tags, 686
first instar, 421
Hematobia irritans, 686
kdr, 242, 260
management, 885
monooxygenase, 242, 298
Mozambique, 885
pyrethroid esterase, 298
pyrethroids, 260
resistance ratios, 298
Triatoma infestans, 298, 421
insects,
gland, 991
morphology, 991
saliva, 991
zoology, 991
internal transcribed spacer 2, 337, 970
An. daciae, 337
An. messeae, 337
Anopheles, 970
identification, 970
intragenomic heterogeneity, 337
male genitalia, 970
Nyssorhynchus, 970
intragenomic heterogeneity,
An. daciae, 337
An. messeae, 337
internal transcribed spacer 2, 337
intrinsic optimum temperature,
Africa, 963
Anopheles gambiae, 963
malaria, 963
Plasmodium falciparum, 963
invasion,
Amblyomma americanum, 867
Dermacentor variabilis, 867
habitat quality, 867
Microstegium vimineum, 867
invasion biology,
ecological equivalence, 20
larval competition, 20
phenology, 20
West Nile virus, 20
invasive,
competition, 629
containers, 629
mosquito, 629
Iquitos,
Amazon, 1023
land use, 1023
mosquito diversity, 1023
remotely sensed images, 1023
IR3535,
dosage, 706
insect repellent, 706
Iran,
Leishmania infantum, 726
nested polymerase chain reaction, 726
Phlebotomus major, 726
visceral leishmaniasis, 726

isozyme,
genetic variation, 370
Marrakech, 370
Morocco, 370
Phlebotomus papatasi, 370
Israel,
Culex perexiguus, 939
Culex pipiens, 939
mosquitoes, 939
West Nile, 939
Italy,
Ixodes ricinus, 547
normalized difference vegetation index, 547
ticks, 547
ivermectin formulation,
human head louse, 75
in vitro rearing system, 75
Pediculus humanus capitis, 75
Ixodes ricinus, 88, 222, 314, 547, 948
aggregation, 222
ecology, 314
epidemiology, 948
essential oil, 88
Germany, 948
Italy, 547
kairomone, 222
normalized difference vegetation index, 547
pheromone, 222
questing, 222
Rickettsia helvetica, 948
Rickettsia monacensis, 948
risk mapping, 314
Tanacetum vulgare, 88
terpenoids, 88
tick repellents, 88
ticks, 314, 547
vectors, 314
Ixodes scapularis, 139, 289, 556, 732, 899
Bayesian statistics, 556
Borrelia burgdorferi, 139
Borrelia burgdorferi s.s., 732
control, 899
infectivity, 139
Lyme disease, 732
microbial pathogens, 289
polymerase chain reaction, 289
population estimates, 556
4-Poster, 899
prevalence, 139
reservoir competence, 139
ticks, 732
transmission dynamics, 732
Ixodes tasmani,
ectoparasites, 745
koalas, 745
Rickettsia, 745
spotted fever group, 745
Ixodes ticks anomalies,
cadmium, 812
environmental pollution, 812
tick-born pathogens, 812
vectorial capacity, 812
Ixodidae,
chipmunks, 763
granulocytic anaplasmosis, 763
gray squirrels, 763
Sciurus griseus, 763

J

Japanese encephalitis,
Culex, 927
feeding pattern, 927
Mansonioides, 927

K

kairomone,
aggregation, 222
Ixodes ricinus, 222
pheromone, 222
questing, 222
knockdown resistance (*kdr*), 237, 242, 260, 912
Anopheles arabiensis, 242
Anopheles gambiae, 237. 242, 260
bed bug, 1092
Cameroon, 260
deltamethrin resistance, 1092
human head lice, 912
insecticide resistance, 242, 260
monooxygenase, 242
PIRA-PCR, 237
pyrethroid resistance, 912
pyrethroids, 260
quantitative sequencing, 912
resistance, 237
sodium channel, 912
voltage-sensitive sodium channel, 1092
koalas,
ectoparasites, 745
Ixodes tasmani, 745
Rickettsia, 745
spotted fever group, 745

L

land use,
Amazon, 1023
Iquitos, 1023
mosquito diversity, 1023
remotely sensed images, 1023
larva, 581, 594
Aedes, 581
arbovirus, 581
container, 581
Culex, 581
first instar, 594
morphology, 594
Musca domestica, 594
scanning electron microscopy, 594
larval competition, 20, 785
Calliphoridae, 785
ecological equivalence, 20
forensic entomology, 785
invasion biology, 20
phenology, 20
postmortem interval, 785
West Nile virus, 20
larvicide,
Aedes, 439
cholesterol, 439
insecticide, 439
sterol carrier protein, 439
Latrodectus geometricus,
distribution, 959
Theridiidae, 959
venom, 959
LD_{50},
Hyalomma lusitanicum, 715
organic treatment, 715
oxalic acid, 715
tick biocontrol, 715
Leishmania,
parasite–vector interaction, 133
Phlebotomus, 133
RT-PCR, 133
sand fly, 133
Leishmania infantum,
Iran, 726
nested polymerase chain reaction, 726
Phlebotomus major, 726
visceral leishmaniasis, 726
life history,
immature development, 861
photoperiodic response, 861
size dimorphism, 861
treehole, 861
life history evolution,
fecundity, 210
reproductive investment, 210
survival, 210
longevity,
egg, 160
Lutzomyia longipalpis, 160
moisture, 160
oviposition, 160
Loxosceles,
Arachnida, 36
brown recluse spider, 36
spider control, 36
urban entomology, 36
Lutzomyia davisi,
gynandromorphism, 166
sand flies, 166
Lutzomyia longipalpis, 160, 409, 982
antenna, 982
egg, 160

longevity, 160
moisture, 160
oviposition, 160
Phlebotominae, 982
saliva, 409
salivary gland, 409
SDS-polyacrylamide gel electrophoresis, 409
ultrastructure, 982
visceral leishmaniasis vector, 982
Lutzomyia pia,
cytochrome *b*, 653
Lutzomyia tihuiliensis, 653
Lutzomyia verrucarum group, 653
sand flies, 653
Lutzomyia tihuiliensis,
cytochrome *b*, 653
Lutzomyia pia, 653
Lutzomyia verrucarum group, 653
sand flies, 653
Lutzomyia verrucarum group,
cytochrome *b*, 653
Lutzomyia pia, 653
Lutzomyia tihuiliensis, 653
sand flies, 653
Lyme disease, 181, 732
Borrelia burgdorferi s.s., 732
dengue, 181
Ixodes scapularis, 732
plague, 181
spatial risk models, 181
ticks, 732
transmission dynamics, 732
tularemia, 181
lymphatic filariasis,
Aedes oceanicus, 758
Aedes polynesiensis, 758
American Samoa, 758
Wuchereria bancrofti, 758
lymphocyte suppression,
antibody, 94
bovine lymphocytes, 94
salivary gland protein, 94
stable fly, 94

M

malaria, 172, 576, 841, 963, 1007, 1050
Africa, 963
Anopheles darlingi, 172
Anopheles gambiae, 963, 1050
Anopheles hyrcanus, 576
Anopheles minimus, 1007
Anopheles, 841
correlation, 1007
diving, 1050
environment, 1007
France, 576
human biting rate, 841
intrinsic optimum temperature, 963
mtDNA, 576
Panama, 841
paratransgenesis, 172
Plasmodium falciparum, 963
predator avoidance, 1050
rDNA, 576
wolf spider, 1050
male genitalia,
Anopheles, 970
identification, 970
internal transcribed spacer 2, 970
Nyssorhynchus, 970
management,
Anopheles, 885
insecticide resistance, 885
Mozambique, 885
Mansonia septempunctata,
Australia, 737
Ross River virus, 737
Verrallina carmenti, 737
Verrallina lineata, 737
Mansonioides,
Culex, 927
feeding pattern, 927
Japanese encephalitis, 927
mark–release–recapture,
avian malaria, 600
Culex quinquefasciatus, 600
dispersal, 600
Hawaiian Islands, 600
mark–release–recapture, 600
Marrakech,
genetic variation, 370
isozyme, 370
Morocco, 370
Phlebotomus papatasi, 370
mechanical transmission,
anaplasmosis, 109
horse flies, 109
ticks, 109
medical entomology,
forensic entomology, 157
myiasis, 157
Phoridae, 157
membrane feeding,
colony maintenance, 9
in vitro alternatives, 9
Phlebotomus papatasi, 9
sand fly, 9
metabolic esterase,
Boophilus microplus, 677
pyrethroid resistance, 677
recombinant protein expression, 677
4-methylphenol,
attractants, 638
3-*n*-propylphenol, 638
octenol, 638
semiochemicals, 638
Mexico, 169, 476
Dirofilaria immitis, 169
dogs, 169
epidemiological role, 476
microfilaria, 169
Ochlerotatus taeniorhynchus, 169
Triatominae, 476
microbial pathogens,
Ixodes scapularis, 289
polymerase chain reaction, 289
microfilaria,
Dirofilaria immitis, 169
dogs, 169
Mexico, 169
Ochlerotatus taeniorhynchus, 169
microsatellite,
Ae. aegypti, 391
Cameroon, 391
mitochondrial DNA, 391
population genetics, 391
Microstegium vimineum,
Amblyomma americanum, 867
Dermacentor variabilis, 867
habitat quality, 867
invasion, 867
midgut,
blood feeding, 326
Culex nigripalpus, 326
gene expression, 326
mitochondrial 16S rDNA sequence,
distribution, 832
Ornithodoros (*Alectorobius*) *rioplatensis* n. sp., 832
Ornithodoros (*Alectorobius*) *talaje* species group, 832
mitochondrial DNA, 59, 229, 391
Aedes aegypti, 59, 391
bed bug, 229
Cameroon, 391
Cimex lectularius, 229
genetic variation, 59, 229
heteroplasmy, 59
microsatellite, 391
population genetics, 59, 391
modeling,
Aedes aegypti, 1173
CIMSiM, 1173
population, 1173
pupal crop, 1173
simulation, 1173
moisture,
egg, 160
longevity, 160
Lutzomyia longipalpis, 160
oviposition, 160
molecular forms, 643, 1057
alternative mating strategies, 643

Anopheles gambiae, 643, 1057
hybrids, 1057
speciation, 1057
molecular identification,
Culex pipiens complex, 203
DV/D, 203
hybridization, 203
monooxygenase, 242, 298
Anopheles arabiensis, 242
Anopheles gambiae, 242
insecticide resistance, 242, 298
kdr, 242
pyrethroid esterase, 298
resistance ratios, 298
Triatoma infestans, 298
Morocco,
genetic variation, 370
isozyme, 370
Marrakech, 370
Phlebotomus papatasi, 370
morphology, 1, 193, 594, 991, 1102
acari, 193
Chirorhynchobiidae, 193
Culex pipiens, 1
Culex restuans, 1
ectoparasites, 193
fat body, 1102
first instar, 594
gland, 991
insects, 991
larva, 594
mosquito, 1102
Musca domestica, 594
phyllostomid bats, 193
saliva, 991
scanning electron microscopy, 594
surveillance, 1
West Nile virus, 1
zoology, 991
mosquito, 102, 115, 384, 470, 517, 629, 720, 751, 775, 877, 891, 939, 1102, 1108, 1117, 1143
actin and blood feeding, 877
adaptation, 1117
Africa, 102
alphavirus, 1117
antibody, 470
arboviruses, 1143
attraction, 384
BioUD, 891
blood-feeding behavior, 1143
bloodmeal, 470
California, 115, 751
carbon dioxide, 115
competition, 629
containers, 629
control, 751
Culex nigripalpus, 877
Culex perexiguus, 939
Culex pipiens, 384, 939
cyberinfrastructure, 775
cytochrome b, 1143
deet, 891
eastern equine encephalitis virus, 720
ecoinformatics, 775
ecology, 775
enzyme-linked immunosorbent assay, 470
fat body, 1102
floral nectar preference, 384
Francisella, 1108
hemocyte-like cells, 1108
horse, 115
insect repellent, 891
invasive, 629
Israel, 939
morphology, 1102
oral insecticide, 384
pathogenicity, 1108
Peru, 720
population dynamics, 775
Rift Valley fever virus, 102
species diversity, 517
surveillance, 517
susceptibility, 1117
ticks, 891
transmission, 102, 720
trap area, 517
traps, 517
vector, 102, 1117, 1143
vector biology, 1108
vector-borne disease, 751
Venezuelan equine encephalitis, 1117
virulence factor, 1108
West Nile virus, 115, 751, 939
wildlife disease, 470
mosquito age grading,
ovary morphology, 353
physiological age, 353
mosquito diversity,
Amazon, 1023
Iquitos, 1023
land use, 1023
remotely sensed images, 1023
mosquito ecology,
Amazon Basin, 1165
Anopheles, 1165
bionomics, 1165
Peru, 1165
mosquito production,
Aedes albopictus, 617
geographic information systems, 617
source reduction, 617
spatial analysis, 617
mosquito vectors,
GIS, 563
rural, 563
urban, 563
West Nile virus, 563
Mozambique,
Anopheles, 885
insecticide resistance, 885
management, 885
mtDNA,
Anopheles hyrcanus, 576
France, 576
malaria, 576
rDNA, 576
Musca domestica, 42, 594
first instar, 594
house fly, 42
infection, 42
larva, 594
morphology, 594
salivary gland hypertrophy virus, 42
scanning electron microscopy, 594
myiasis,
forensic entomology, 157
medical entomology, 157
Phoridae, 157

N

3-*n*-propylphenol,
attractants, 638
4-methylphenol, 638
octenol, 638
semiochemicals, 638
nested polymerase chain reaction,
Iran, 726
Leishmania infantum, 726
Phlebotomus major, 726
visceral leishmaniasis, 726
normalized difference vegetation index,
Italy, 547
Ixodes ricinus, 547
ticks, 547
Nyssorhynchus,
Anopheles, 970
identification, 970
internal transcribed spacer 2, 970
male genitalia, 970

O

Ochlerotatus,
Aedes, 800
climate, 800
Culex, 800
Culiseta, 800
Ochlerotatus taeniorhynchus,
Dirofilaria immitis, 169
dogs, 169
Mexico, 169
microfilaria, 169
octenol,
attractants, 638
4-methylphenol, 638

3-*n*-propylphenol, 638
semiochemicals, 638
one-host tick,
equine, 1152
piroplasmosis, 1152
tick-borne transmission, 1152
transovarial transmission, 1152
oral insecticide,
attraction, 384
Culex pipiens, 384
floral nectar preference, 384
mosquitoes, 384
oral susceptibility,
Bluetongue virus, 129
Culicoides, 129
TissueLyser, 129
vector competence, 129
organic treatment,
Hyalomma lusitanicum, 715
LD_{50}, 715
oxalic acid, 715
tick biocontrol, 715
Ornithodoros (*Alectorobius*) *rioplatensis* n. sp.,
distribution, 832
mitochondrial 16S rDNA sequence, 832
Ornithodoros (*Alectorobius*) *rioplatensis* n. sp., 832
Ornithodoros (*Alectorobius*) *talaje* species group, 832
Ornithodoros (*Alectorobius*) *talaje* species group,
distribution, 832
mitochondrial 16S rDNA sequence, 832
Ornithodoros (*Alectorobius*) *rioplatensis* n. sp., 832
Ornithodoros (*Alectorobius*) *talaje* species group, 832
ovary,
aquaporin, 68
Dermacentor variabilis, 68
tick, 68
ovary morphology,
mosquito age grading, 353
physiological age, 353
overwintering,
Culex tritaeniorhynchus, 610
seasonal migration, 610
Tokyo, 610
urban area, 610
oviposition,
egg, 160
longevity, 160
Lutzomyia longipalpis, 160
moisture, 160
oviposition response,
Anopheles, 1039
bacteria, 1039
gas chromatography coupled to mass spectrometry, 1039
solid phase microextraction, 1039
oxalic acid,
Hyalomma lusitanicum, 715
LD_{50}, 715
organic treatment, 715
tick biocontrol, 715

P

Panama,
Anopheles, 841
human biting rate, 841
malaria, 841
parasite–vector interaction,
Leishmania, 133
parasite–vector interaction, 133
Phlebotomus, 133
RT-PCR, 133
sand fly, 133
paratransgenesis,
Anopheles darlingi, 172
malaria, 172
partially sterilizing dose,
Anopheles, 698
competitiveness, 698
genetic control, 698
sterile insect technique, 698
pathogenicity,
Francisella, 1108
hemocyte-like cells, 1108
mosquito, 1108
vector biology, 1108
virulence factor, 1108
PCR,
Amblyomma americanum, 176
Bartonella, 176
Pediculus humanus capitis,
human head louse, 75
in vitro rearing system, 75
ivermectin formulation, 75
peridomicile,
Brazil, 14
sylvatic environment, 14
Triatoma juazeirensis, 14
Triatoma pseudomaculata, 14
permethrin,
Aedes aegypti, 401
cytochrome *c*, 401
development, 401
environment, 401
Peromyscus maniculatus,
Aetheca wagneri, 1160
deer mice, 1160
plague, 1160
Yersinia pestis, 1160
Peru, 720, 1165
Amazon Basin, 1165
Anopheles, 1165
bionomics, 1165
eastern equine encephalitis virus, 720
mosquito, 720
mosquito ecology, 1165
transmission, 720
pesticide,
Aedes aegypti, 414
double-stranded RNA, 414
inhibitor of apoptosis, 414
RNA interference, 414
phenology,
ecological equivalence, 20
invasion biology, 20
larval competition, 20
West Nile virus, 20
phenotype,
antennal sensilla, 660
Chagas disease, 660
habitat, 660
Triatoma infestans, 660
pheromone,
aggregation, 222
Ixodes ricinus, 222
kairomone, 222
questing, 222
Phlebotominae,
antenna, 982
Lutzomyia longipalpis, 982
ultrastructure, 982
visceral leishmaniasis vector, 982
Phlebotomus,
Leishmania, 133
parasite–vector interaction, 133
RT-PCR, 133
sand fly, 133
Phlebotomus major,
Iran, 726
Leishmania infantum, 726
nested polymerase chain reaction, 726
visceral leishmaniasis, 726
Phlebotomus papatasi, 9, 370
colony maintenance, 9
genetic variation, 370
in vitro alternatives, 9
isozyme, 370
Marrakech, 370
membrane feeding, 9
Morocco, 370
sand fly, 9
Phlebotomus perniciosus,
France, 466
Sergentomyia minuta, 466
Wolbachia, 466
Phoridae,
forensic entomology, 157
medical entomology, 157
myiasis, 157

photoperiodic response,
immature development, 861
life history, 861
size dimorphism, 861
treehole, 861
Phyllosoma,
Chagas, 52
population structure, 52
salivary proteins, 52
Triatoma dimidiata, 52
phyllostomid bats,
acari, 193
Chirorhynchobiidae, 193
ectoparasites, 193
morphology, 193
physiological age,
mosquito age grading, 353
ovary morphology, 353
pipiens,
Culex pipiens complex, 276
host-seeking activity period, 276
host-seeking height, 276
West Nile virus, 276
PIRA-PCR,
Anopheles gambiae, 237
kdr mutations, 237
resistance, 237
piroplasmosis,
equine, 1152
one-host tick, 1152
tick-borne transmission, 1152
transovarial transmission, 1152
plague, 181, 933, 1160
Aetheca wagneri, 1160
blood, 933
deer mice, 1160
dengue, 181
flea, 933
Lyme disease, 181
Peromyscus maniculatus, 1160
spatial risk models, 181
transmission, 933
tularemia, 181
Yersinia pestis, 933, 1160
Plasmodium falciparum,
Africa, 963
Anopheles gambiae, 963
intrinsic optimum temperature, 963
malaria, 963
polymerase chain reaction,
Ixodes scapularis, 289
microbial pathogens, 289
population,
Aedes aegypti, 1173
CIMSiM, 1173
modeling, 1173
pupal crop, 1173
simulation, 1173
population dynamics, 28, 775, 1011
Aedes aegypti, 28
container, 28
Culex pipiens, 28
cyberinfrastructure, 775
dryland salinity, 1011
ecoinformatics, 775
ecology, 775
mosquito, 775
rainfall, 28
Ross River virus, 1011
population estimates,
Bayesian statistics, 556
Ixodes scapularis, 556
population genetics, 59, 391, 1064
Aedes aegypti, 59, 391
Cameroon, 391
Dermacentor andersoni, 1064
fertility, 1064
genetic variability, 59
heteroplasmy, 59
microsatellite, 391
mitochondrial DNA, 59, 391
reproduction, 1064
population structure,
Chagas, 52
Phyllosoma, 52
salivary proteins, 52
Triatoma dimidiata, 52
4-Poster,
control, 899
Ixodes scapularis, 899
postmortem interval,
Calliphoridae, 785
forensic entomology, 785
larval competition, 785
potential distribution,
computer simulation, 540
Puebla State, 540
Triatominae, 540
predator avoidance,
Anopheles gambiae, 1050
diving, 1050
malaria, 1050
wolf spider, 1050
prevalence,
Borrelia burgdorferi, 139
infectivity, 139
Ixodes scapularis, 139
reservoir competence, 139
Psorophora (*Grabhamia*) *varinervis*,
adult redescription, 342
Psorophora (*Grabhamia*) *varinervis*, 342
pupa and larval description, 342
Puebla State,
computer simulation, 540
potential distribution, 540
Triatominae, 540
pupa and larval description,
adult redescription, 342
Psorophora (*Grabhamia*) *varinervis*, 342
pupae per person Index,
defective RWHS, 148
pupal productivity, 148
rainwater harvesting structure (RWHS), 148
Stegomyia indices, 148
pupal crop,
Aedes aegypti, 1173
CIMSiM, 1173
modeling, 1173
population, 1173
simulation, 1173
pupal productivity,
defective RWHS, 148
pupae per person Index, 148
rainwater harvesting structure (RWHS), 148
Stegomyia indices, 148
pyrethroid esterase,
insecticide resistance, 298
monooxygenase, 298
resistance ratios, 298
Triatoma infestans, 298
pyrethroid resistance, 677, 912
Boophilus microplus, 677
human head lice, 912
kdr, 912
metabolic esterase, 677
quantitative sequencing, 912
recombinant protein expression, 677
sodium channel, 912
pyrethroids, 260, 693
Anopheles gambiae, 260
Cameroon, 260
eggs, 693
head lice, 693
insecticide, 693
insecticide resistance, 260
kdr, 260
resistance, 693

Q

quantitative PCR,
Aedes aegypti, 1071
developmental regulation, 1071
inhibitor of apoptosis, 1071
inhibitor of apoptosis protein, 1071
quantitative real-time polymerase chain reaction,
Amblyomma americanum, 267
Rickettsia amblyommii, 267
spotted fever group *Rickettsia*, 267

quantitative sequencing,
human head lice, 912
kdr, 912
pyrethroid resistance, 912
sodium channel, 912
questing,
aggregation, 222
Ixodes ricinus, 222
kairomone, 222
pheromone, 222

R

rainfall,
Aedes aegypti, 28
container, 28
Culex pipiens, 28
population dynamics, 28
rainwater harvesting structure (RWHS),
defective RWHS, 148
pupae per person Index, 148
pupal productivity, 148
rainwater harvesting structure (RWHS), 148
Stegomyia indices, 148
rDNA,
Anopheles hyrcanus, 576
France, 576
malaria, 576
mtDNA, 576
recombinant protein expression,
Boophilus microplus, 677
metabolic esterase, 677
pyrethroid resistance, 677
regional variation,
blood feeding source, 873
Culicidae, 873
Haemagogus, 873
remote sensing,
African animal trypanosomoses, 1180
fragmentation analysis, 1180
tsetse, 1180
vectors, 1180
remotely sensed images,
Amazon, 1023
Iquitos, 1023
land use, 1023
mosquito diversity, 1023
repellent,
Aedes intrudens, 1080
catnip, 1080
dihydronepetalactone, 1080
Simulium decorum, 1080
reproduction,
Dermacentor andersoni, 1064
fertility, 1064
population genetics, 1064
reproductive investment,
fecundity, 210
life history evolution, 210
survival, 210
reservoir competence,
Borrelia burgdorferi, 139
infectivity, 139
Ixodes scapularis, 139
prevalence, 139
resistance, 237, 693, 905
Anopheles gambiae, 237
coumaphos, 905
diazinon, 905
eggs, 693
head lice, 693
insecticide, 693
kdr mutations, 237
PIRA-PCR, 237
pyrethroids, 693
Rhipicephalus (*Boophilus*) *microplus*, 905
synergist, 905
resistance ratios,
insecticide resistance, 298
monooxygenase, 298
pyrethroid esterase, 298
Triatoma infestans, 298
Rhipicephalus (*Boophilus*) *microplus*,
coumaphos, 905
diazinon, 905
resistance, 905
Rhipicephalus (*Boophilus*) *microplus*, 905
synergist, 905
Rhipicephalus sanguineus,
Amblyomma aureolatum, 1156
Amblyomma cajennense, 1156
Rickettsia rickettsii, 1156
spotted fever, 1156
Rickettsia, 741, 745
China, 741
Dermacenter silvarum, 741
ectoparasites, 745
Ixodes tasmani, 745
koalas, 745
spotted fever group, 745
Rickettsia amblyommii, 267, 770
Amblyomma americanum, 267
Amblyomma longirostre, 770
Amblyomma parkeri, 770
Atlantic forest, 770
birds, 770
quantitative real-time polymerase chain reaction, 267
spotted fever group *Rickettsia*, 267
Rickettsia helvetica,
epidemiology, 948
Germany, 948
Ixodes ricinus, 948
Rickettsia monacensis, 948
Rickettsia monacensis,
epidemiology, 948
Germany, 948
Ixodes ricinus, 948
Rickettsia helvetica, 948
Rickettsia rhipicephali,
Dermacentor occidentalis, 509
Dermacentor variabilis, 509
Rickettsia rickettsii, 509
Rocky Mountain spotted fever, 509
Rickettsia rickettsii, 509, 1156
Amblyomma aureolatum, 1156
Amblyomma cajennense, 1156
Dermacentor occidentalis, 509
Dermacentor variabilis, 509
Rhipicephalus sanguineus, 1156
Rickettsia rhipicephali, 509
Rocky Mountain spotted fever, 509
spotted fever, 1156
Rift Valley fever virus,
Africa, 102
mosquito, 102
transmission, 102
vector, 102
risk mapping,
ecology, 314
Ixodes ricinus, 314
ticks, 314
vectors, 314
RNA interference,
Aedes aegypti, 414
double-stranded RNA, 414
inhibitor of apoptosis, 414
pesticide, 414
Rocky Mountain spotted fever,
Dermacentor occidentalis, 509
Dermacentor variabilis, 509
Rickettsia rhipicephali, 509
Rickettsia rickettsii, 509
Ross River virus, 737, 1011
Australia, 737
dryland salinity, 1011
Mansonia septempunctata, 737
population dynamics, 1011
Verrallina carmenti, 737
Verrallina lineata, 737
RT-PCR,
Leishmania, 133
parasite–vector interaction, 133
Phlebotomus, 133
sand fly, 133
rural,
GIS, 563
mosquito vectors, 563
urban, 563
West Nile virus, 563

S

Sabana de Bogotá–Colombia,
Diptera, 522
forensic entomology, 522
Schoenly trap, 522

saliva, 409, 991
gland, 991
insects, 991
Lutzomyia longipalpis, 409
morphology, 991
salivary gland, 991
SDS-polyacrylamide gel electrophoresis, 409
zoology, 991
salivary gland,
Lutzomyia longipalpis, 409
saliva, 409
SDS-polyacrylamide gel electrophoresis, 409
salivary gland hypertrophy virus,
house fly, 42
infection, 42
Musca domestica, 42
salivary gland protein,
antibody, 94
bovine lymphocytes, 94
lymphocyte suppression, 94
stable fly, 94
salivary proteins,
Chagas, 52
Phyllosoma, 52
population structure, 52
Triatoma dimidiata, 52
sand fly, 9, 133, 166, 653
colony maintenance, 9
cytochrome *b*, 653
gynandromorphism, 166
in vitro alternatives, 9
Leishmania, 133
Lutzomyia davisi, 166
Lutzomyia pia, 653
Lutzomyia tihuiliensis, 653
Lutzomyia verrucarum group, 653
membrane feeding, 9
parasite–vector interaction, 133
Phlebotomus, 133
Phlebotomus papatasi, 9
RT-PCR, 133
scanning electron microscopy,
first instar, 594
larva, 594
morphology, 594
Musca domestica, 594
Schoenly trap,
Diptera, 522
forensic entomology, 522
Sabana de Bogotá–Colombia, 522
Sciurus griseus,
chipmunks, 763
granulocytic anaplasmosis, 763
gray squirrels, 763
Ixodidae, 763
SDS-polyacrylamide gel electrophoresis,
Lutzomyia longipalpis, 409
saliva, 409
salivary gland, 409
seasonal migration,
Culex tritaeniorhynchus, 610
overwintering, 610
Tokyo, 610
urban area, 610
semiochemicals,
attractants, 638
4-methylphenol, 638
3-*n*-propylphenol, 638
octenol, 638
Sergentomyia minuta,
France, 466
Phlebotomus perniciosus, 466
Wolbachia, 466
simulation,
Aedes aegypti, 1173
CIMSiM, 1173
modeling, 1173
population, 1173
pupal crop, 1173
Simulium decorum,
Aedes intrudens, 1080
catnip, 1080
dihydronepetalactone, 1080
repellent, 1080
size dimorphism,
immature development, 861
life history, 861
photoperiodic response, 861
treehole, 861
skin temperature,
cattle, 1000
Dermacentor andersoni, 1000
engorgement, 1000
feeding duration, 1000
sodium channel,
human head lice, 912
kdr, 912
pyrethroid resistance, 912
quantitative sequencing, 912
solid phase microextraction,
Anopheles, 1039
bacteria, 1039
gas chromatography coupled to mass spectrometry, 1039
oviposition response, 1039
source reduction,
Aedes albopictus, 617
geographic information systems, 617
mosquito production, 617
spatial analysis, 617
southern cattle tick,
acaricide, 427
Boophilus microplus, 427
inheritance, 427
Spain,
albopictus, 347
Catalonia, 347
Europe, 347
Stegomyia, 347
spatial analysis,
Aedes albopictus, 617
geographic information systems, 617
mosquito production, 617
source reduction, 617
spatial repellent,
Aedes albopictus, 533
blood-feeding behavior, 533
host-seeking behavior, 533
spatial risk models,
dengue, 181
Lyme disease, 181
plague, 181
tularemia, 181
speciation,
Anopheles gambiae, 1057
hybrids, 1057
molecular forms, 1057
species diversity,
mosquito, 517
surveillance, 517
trap area, 517
traps, 517
spider control,
Arachnida, 36
brown recluse spider, 36
Loxosceles, 36
urban entomology, 36
spotted fever,
Amblyomma aureolatum, 1156
Amblyomma cajennense, 1156
Rhipicephalus sanguineus, 1156
Rickettsia rickettsii, 1156
spotted fever group,
ectoparasites, 745
Ixodes tasmani, 745
koalas, 745
Rickettsia, 745
spotted fever group *Rickettsia*,
Amblyomma americanum, 267
quantitative real-time polymerase chain reaction, 267
Rickettsia amblyommii, 267
St. Louis encephalitis virus, 458, 483, 494, 1126
arboviral epidemics, 458
Culex pipiens complex, 1126
Culex pipiens quinquefasciatus, 494
Culex tarsalis, 494, 1126
hydrologic monitoring, 458
infection, 483
surveillance, 483
vector competence, 1126
vector–host transmission, 483

water table depth, 458
West Nile virus, 458, 483, 494, 1126
western equine encephalomyelitis virus, 494
stable fly,
antibody, 94
bovine lymphocytes, 94
lymphocyte suppression, 94
salivary gland protein, 94
Stegomyia,
albopictus, 347
Catalonia, 347
Europe, 347
Spain, 347
Stegomyia indices,
defective RWHS, 148
pupae per person Index, 148
pupal productivity, 148
rainwater harvesting structure (RWHS), 148
Steinina sp.,
Ctenocephalides felis felis, 1139
dog fleas, 1139
endoparasites, 1139
gregarines, 1139
sterile insect technique,
Anopheles, 698
competitiveness, 698
genetic control, 698
partially sterilizing dose, 698
sterol carrier protein,
Aedes, 439
cholesterol, 439
insecticide, 439
larvicide, 439
surveillance, 1, 483, 517
Culex pipiens, 1
Culex restuans, 1
infection, 483
morphology, 1
mosquito, 517
species diversity, 517
St. Louis encephalitis virus, 483
trap area, 517
traps, 517
vector–host transmission, 483
West Nile virus, 1, 483
survival, 210, 307
Aedes aegypti, 307
age, 307
fecundity, 210
life history evolution, 210
reproductive investment, 210
synthetic cohort, 307
Thailand, 307
susceptibility,
adaptation, 1117
alphavirus, 1117
mosquito, 1117
vector, 1117
Venezuelan equine encephalitis, 1117
sylvatic environment,
Brazil, 14
peridomicile, 14
Triatoma juazeirensis, 14
Triatoma pseudomaculata, 14
synergist,
coumaphos, 905
diazinon, 905
resistance, 905
Rhipicephalus (*Boophilus*) *microplus*, 905
synthetic cohort,
Aedes aegypti, 307
age, 307
survival, 307
Thailand, 307
systematics,
geographic distribution, 817
hosts, 817
Hyalomma (*Euhyalomma*) *dromedarii*, 817
Hyalomma (*Euhyalomma*) *schulzei*, 817

T

Tanacetum vulgare,
essential oil, 88
Ixodes ricinus, 88
terpenoids, 88
tick repellents, 88
temperature,
amphibians, 1031
gonotrophic cycle, 1031
thermal heat summation model, 1031
tent treatment,
Australia, 1087
bifenthrin, 1087
Bistar 80 SC, 1087
Culex annulirostris, 1087
terpenoids,
essential oil, 88
Ixodes ricinus, 88
Tanacetum vulgare, 88
tick repellents, 88
Texas,
demodectic mange, 572
Demodex odocoilei, 572
Demodicidae, 572
white-tailed deer, 572
Thailand,
Aedes aegypti, 307
age, 307
survival, 307
synthetic cohort, 307
Theridiidae,
distribution, 959
Latrodectus geometricus, 959
venom, 959
thermal heat summation model,
amphibians, 1031
gonotrophic cycle, 1031
temperature, 1031
tick, 68, 109, 314, 547, 732, 891
anaplasmosis, 109
aquaporin, 68
BioUD, 891
Borrelia burgdorferi s.s., 732
deet, 891
Dermacentor variabilis, 68
ecology, 314
horse flies, 109
insect repellent, 891
Italy, 547
Ixodes ricinus, 314, 547
Ixodes scapularis, 732
Lyme disease, 732
mechanical transmission, 109
mosquitoes, 891
normalized difference vegetation index, 547
ovary, 68
risk mapping, 314
transmission dynamics, 732
vectors, 314
tick biocontrol,
Hyalomma lusitanicum, 715
LD_{50}, 715
organic treatment, 715
oxalic acid, 715
tick repellents,
essential oil, 88
Ixodes ricinus, 88
Tanacetum vulgare, 88
terpenoids, 88
tick-born pathogens,
cadmium, 812
environmental pollution, 812
Ixodes ticks anomalies, 812
vectorial capacity, 812
tick-borne transmission,
equine, 1152
one-host tick, 1152
piroplasmosis, 1152
transovarial transmission, 1152
TissueLyser,
Bluetongue virus, 129
Culicoides, 129
oral susceptibility, 129
vector competence, 129
Tokyo,
Culex tritaeniorhynchus, 610
overwintering, 610
seasonal migration, 610
urban area, 610
transmission, 102, 720, 933
Africa, 102
blood, 933
eastern equine encephalitis virus, 720
flea, 933

mosquito, 102, 720
Peru, 720
plague, 933
Rift Valley fever virus, 102
vector, 102
Yersinia pestis, 933
transmission dynamics,
Borrelia burgdorferi s.s., 732
Ixodes scapularis, 732
Lyme disease, 732
ticks, 732
transovarial transmission,
equine, 1152
one-host tick, 1152
piroplasmosis, 1152
tick-borne transmission, 1152
trap area,
mosquito, 517
species diversity, 517
surveillance, 517
traps,
traps, 517
mosquito, 517
species diversity, 517
surveillance, 517
trap area, 517
treehole,
immature development, 861
life history, 861
photoperiodic response, 861
size dimorphism, 861
Triatoma dimidiata,
Chagas, 52
Phyllosoma, 52
population structure, 52
salivary proteins, 52
Triatoma infestans, 298, 421, 660
antennal sensilla, 660
Chagas disease, 660
Chagas' disease vector, 421
egg, 421
first instar, 421
habitat, 660
insecticide resistance, 298, 421
monooxygenase, 298
phenotype, 660
pyrethroid esterase, 298
resistance ratios, 298
Triatoma juazeirensis,
Brazil, 14
peridomicile, 14
sylvatic environment, 14
Triatoma pseudomaculata, 14
Triatoma pseudomaculata,
Brazil, 14
peridomicile, 14
sylvatic environment, 14
Triatoma juazeirensis, 14
Triatominae, 476, 540
computer simulation, 540
epidemiological role, 476
Mexico, 476
potential distribution, 540
Puebla State, 540
tsetse,
African animal trypanosomoses, 1180
fragmentation analysis, 1180
remote sensing, 1180
vectors, 1180
tularemia,
dengue, 181
Lyme disease, 181
plague, 181
spatial risk models, 181

U

ultrastructure,
antenna, 982
Lutzomyia longipalpis, 982
Phlebotominae, 982
visceral leishmaniasis vector, 982
urban,
GIS, 563
mosquito vectors, 563
rural, 563
West Nile virus, 563
urban area,
Culex tritaeniorhynchus, 610
overwintering, 610
seasonal migration, 610
Tokyo, 610
urban entomology,
Arachnida, 36
brown recluse spider, 36
Loxosceles, 36
spider control, 36
urban pest,
Cimex lectularius, 956
control, 956
infestation, 956

V

vector, 102, 314, 1117, 1143, 1180
adaptation, 1117
Africa, 102
African animal trypanosomoses, 1180
alphavirus, 1117
arboviruses, 1143
blood-feeding behavior, 1143
cytochrome b, 1143
ecology, 314
fragmentation analysis, 1180
Ixodes ricinus, 314
mosquito, 102, 1117, 1143
remote sensing, 1180
Rift Valley fever virus, 102
risk mapping, 314
susceptibility, 1117
ticks, 314
transmission, 102
tsetse, 1180
Venezuelan equine encephalitis, 1117
vector biology,
Francisella, 1108
hemocyte-like cells, 1108
mosquito, 1108
pathogenicity, 1108
virulence factor, 1108
vector competence, 129, 452, 1126
Aedes vexans, 452
Bluetongue virus, 129
Culex pipiens, 452
Culex pipiens complex, 1126
Culex tarsalis, 1126
Culicoides, 129
enzootic vector, 452
oral susceptibility, 129
St. Louis encephalitis virus, 1126
TissueLyser, 129
West Nile virus, 452, 1126
vector-borne disease,
California, 751
control, 751
mosquitoes, 751
West Nile virus, 751
vectorial capacity,
cadmium, 812
environmental pollution, 812
Ixodes ticks anomalies, 812
tick-born pathogens, 812
vector–host transmission,
infection, 483
St. Louis encephalitis virus, 483
surveillance, 483
vector–host transmission, 483
West Nile virus, 483
Venezuelan equine encephalitis,
adaptation, 1117
alphavirus, 1117
mosquito, 1117
susceptibility, 1117
vector, 1117
venom,
distribution, 959
Latrodectus geometricus, 959
Theridiidae, 959
Verrallina carmenti,
Australia, 737
Mansonia septempunctata, 737
Ross River virus, 737
Verrallina lineata, 737
Verrallina lineata,
Australia, 737
Mansonia septempunctata, 737
Ross River virus, 737
Verrallina carmenti, 737

vertical transmission,
Culex pipiens pipiens, 445
extrinsic incubation period, 445
horizontal transmission, 445
West Nile virus, 445
vesicular stomatitis virus,
behavior, 921
Culicoides sonorensis, 921
generalized linear mixed model, 921
virulence factor,
Francisella, 1108
hemocyte-like cells, 1108
mosquito, 1108
pathogenicity, 1108
vector biology, 1108
visceral leishmaniasis,
Iran, 726
Leishmania infantum, 726
nested polymerase chain reaction, 726
Phlebotomus major, 726
visceral leishmaniasis vector,
antenna, 982
Lutzomyia longipalpis, 982
Phlebotominae, 982
ultrastructure, 982
voltage-sensitive sodium channel,
bed bug, 1092
deltamethrin resistance, 1092
knockdown resistance (*kdr*), 1092

W

water table depth,
arboviral epidemics, 458
hydrologic monitoring, 458
St. Louis encephalitis virus, 458
West Nile virus, 458
West Nile virus, 1, 20, 115, 125, 276, 445, 452, 458, 483, 494, 563, 751, 939, 1126
Aedes vexans, 452
arboviral epidemics, 458
blood-meal analysis, 125
bridge vector, 125
California, 115, 751
carbon dioxide, 115
control, 751
Culex perexiguus, 939
Culex pipiens, 1, 125, 452, 939
Culex pipiens complex, 276, 1126
Culex pipiens pipiens, 445
Culex pipiens quinquefasciatus, 494
Culex restuans, 1
Culex tarsalis, 494, 1126
ecological equivalence, 20
enzootic vector, 452
extrinsic incubation period, 445
GIS, 563
horizontal transmission, 445
horse, 115
host-seeking activity period, 276
host-seeking height, 276
hydrologic monitoring, 458
infection, 483
invasion biology, 20
Israel, 939
larval competition, 20
morphology, 1
mosquito, 115, 751, 939
mosquito vectors, 563
phenology, 20
pipiens, 276
rural, 563
St. Louis encephalitis virus, 458, 483, 494, 1126
surveillance, 1, 483
urban, 563
vector competence, 452, 1126
vector-borne disease, 751
vector–host transmission, 483
vertical transmission, 445
water table depth, 458
western equine encephalomyelitis virus, 494
western equine encephalomyelitis virus,
Culex pipiens quinquefasciatus, 494
Culex tarsalis, 494
St. Louis encephalitis virus, 494
West Nile virus, 494
wet weight,
Aedes aegypti, 331
cephalothorax length, 331
cephalothorax width, 331
fitness, 331
white-tailed deer,
demodectic mange, 572
Demodex odocoilei, 572
Demodicidae, 572
Texas, 572
wildlife disease,
antibody, 470
bloodmeal, 470
enzyme-linked immunosorbent assay, 470
mosquito, 470
Wolbachia,
France, 466
Phlebotomus perniciosus, 466
Sergentomyia minuta, 466
wolf spider,
Anopheles gambiae, 1050
diving, 1050
malaria, 1050
predator avoidance, 1050
Wuchereria bancrofti,
Aedes oceanicus, 758
Aedes polynesiensis, 758
American Samoa, 758
lymphatic filariasis, 758

Y

Yersinia pestis, 933, 1160
Aetheca wagneri, 1160
blood, 933
deer mice, 1160
flea, 933
Peromyscus maniculatus, 1160
plague, 933, 1160
transmission, 933

Z

zoology,
gland, 991
insects, 991
morphology, 991
saliva, 991